

*Aesthetic which
comes from nature*



DECKING & PROFILE



COMPOSITE DECKING

Deck; They are environmentally friendly products obtained by combining 55% Wood Sawdust, 45% PVC and a certain amount of protective and binding materials. It is a composite wooden coating that is mostly preferred as a floor covering outdoors. It is a human and environment friendly floor covering that can be used in every place. It is very useful and long lasting. Thanks to the grid laid under the deck material, it allows water to drain quickly and effectively. Galvanized stainless apparatus should be used for mounting the deck material to the grill.

PRODUCTS & COLORS

LIGHT BROWN



DARK BROWN



ANTHRACITE




WOODEN SURFACE



INSTALLATION ACCESSORIES

BORDER



CARCASS



CLIPS




SCREW



SECTION

140 mm x 3000 mm x 24 mm



ADVENTAGES

It is moisture resistant and does not rot.
It is resistant to sunlight.
Maintenance-free, long-lasting.
The water absorption rate is close to zero.

It is 100% recyclable.
It is antibacterial.
It has a late burning feature.
Ease of assembly, does not slip.

It is 100% recyclable.
It is antibacterial.
It has a late burning feature.
Ease of assembly, does not slip.





COMPOSITE EXTERIOR WALL PANEL

SINGLE PANEL



GOH2H GOLDEN OAK



LMD726 PALACE WALNUT



LM724 ASOS

SECTION

74,5 mm x 3000 x 40 mm



TRIPLE PANEL



NATURAL



LMD726 PALACE WALNUT



NATURAL

SECTION

134,5 mm x 3000 x 17,5mm



DECKING & PROFILE



SIDING SYSTEM



LMD 199 SPECIAL BAMBOO



LMD 217 OAK



LMD248 MAKASSAR

SECTION

140mm x 3000 mm x 18mm



FENCE PANEL SYSTEM



SECTION

160mm x 3000 mm x 22mm



DECKING & PROFILE



